
# LANmark-OF TB OFNP 2-48C - アジア太平洋地域

**LANMARK-OF タイトバッファ 屋内用 2X シングルモード 9/125 G.657.A1 プレナム、OFNP**




**Aginode Ref:** N17A.020NP

- タイトバッファ型屋内用光ファイバーケーブル 屋内用ケーブル
- 施工性を高めるアラミド糸
- 直接終端および接続が可能な設計
- 2本
- シングルモード OS2 G.657.A1 ケーブル用の曲げに強靭なファイバー

## 用途

LANmark-OF Tight buffer Indoor は、900 um
のバッファ層を備えたファイバを採用しています。この 2 番目の
900 µmまでのこの第2の被覆は、ファイバーをさらに保護するとともに、
パッチパネルでのファイバー終端処理時の取り扱いを容易にします。簡単にストリッピングできるタイトバッファ
設計により、1回の操作で10
cm以上にわたってファイバーをストリッピングできます。
LANmark-OF タイトバッファ・インドアは、
。また、タイトバッファ光ファイバは、
ピグテールのスプライシングによる終端処理も可能です。
LANmark-OF Tight Buffer Indoorのドライ構造により、垂直および
水平方向の設置が可能です。本製品は、屋内用ファイバーの要件に準拠しています。また、
は、引き込み方式によりダクト内にも敷設可能です。

## STANDARDS

ANSI/TIA-568-C.3
IEC 60793-2-10
ISO/IEC 11801

## 構造

**断面図の凡例：**

1. 光ファイバー（900 µm）
2. アラミド糸
3. PVC OFNP素材の外被

*All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.*

# LANmark-OF タイトバッファ 屋内用 2x シングルモード 9/125 G.657.A1 プレナム、OFNP

## Characteristics

| | |
|---|---|
| **Construction characteristics** | |
| Fiber optic type | SM (G657.A1) |
| Colour | Yellow |
| **Dimensional characteristics** | |
| Number of optical fibres | 2 |
| Outer Diameter | 4 mm |
| Weight | 17 g |
| **Mechanical characteristics** | |
| Mechanical resistance to impacts (IEC 60794-1-E4) | 100 impacts of 1 N.m |
| Maximum pulling force (IEC 60794-1-2-E1) | 460 N |
| Crush resistance (IEC 60794-1-E3) | 1000 N/100mm |
| **Usage characteristics** | |
| Installation temperature, range | 0...40 °C |
| Storage temperature, range | -30...70 °C |
| Operating temperature, range | -20...60 °C |
| Minimum dynamic operating bending radius | 80.0 mm |
| Minimum static operating bending radius | 40 mm |

*All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.*