Deutsche Wanddose, Abdeckrahmen und Aufputzgehäuse

- Deutsche Wanddose für Snap-In Buchsen
- 50x50 Wanddose, Abdeckrahmen und Aufputzgehäuse
- Einsetzbar für LWL- und Kupfer-Anschlüsse
- in weiss oder elfenbein
- glänzende Oberfläche



STANDARDS

Manufacturer specification

Anwendung

Zur Aufnahme von LANmark Snap-In Komponenten (LWL, RJ45 und GG45) wurde ein Set von Wanddosen, Abdeckrahmen und Aufputzdosen speziell für den Deutschsprachigen Markt entwickelt.

Damit werden alle Kupfer- und LWL Performance Level unterstützt - von LANmark-5 über LANmark-6/6A bis hin zu LANmark-7/7A. Direkt angeschlossene LWL-Snap-in Konnektoren können ebenfalls eingebaut werden.

Deteilierte Informationen können in den entsprechenden Datenblättern nachgelesen werden.

Garantien

Alle Plastik-Elemente erfüllen die UL 94V0.

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Deutsche Wanddose, Abdeckrahmen und Aufputzgehäuse

EIGENSCHAFTEN

Konstruktionsmerkmale

Farbe	White RAL 9010

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name	Farbe
	N423.702N	-	LANmark Deutsche Wanddose, gewinkelt, 50 x 50, 2 Port, Weiss	White RAL 9010
	N423.701N	-	LANmark German Style Angled 50 x 50 Module 1 Snap-In White	White RAL 9010

= Make to order, = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.