LANmark-OF Plug&Play-Adapterplatten

- Adapterplatten für 3DSC, 6DSC, 6DLC oder 12DLC
- Erhältlich in Multimode und Singlemode
- Das Modul lässt sich problemlos in das „Plug&Play“-Patchfeld von Aginode einbauen
- Hohe Packungsdichte: 4 Module passen in 1U



Anwendung

Die Adapterplatten sind für eine schnelle Installation in den Aginode Plug&Play-Panels konzipiert. Sie ermöglichen eine Vielzahl von Anschlussmöglichkeiten. Eine Mischung aus verschiedenen Adaptertypen sowie eine Kombination aus Singlemode- und Multimode-Anschlüssen innerhalb desselben Panels ist möglich.

Kompatibilität

Die Adapterplatten werden in die LANmark-OF Plug&Play-Patchfelder (N439.3MPP) eingebaut. In ein Patchfeld können bis zu 4 Adapterplatten eingebaut werden.

Ausführungen der Adapterplatten.

Die Adapterplatten sind mit einer Dichte von 3DSC, 6DSC, 6DLC oder 12DLC erhältlich. Dies ergibt eine mittlere Dichte von 48SC/48LC oder eine hohe Dichte von 96 LC in einem Patchfeld.
Die Adapterplatten sind für Multimode und Singlemode erhältlich.
Leere Adapterplatten reservieren Platz für Glasfasern zur späteren Nutzung.

STANDARDS

ISO/IEC 11801

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

EIGENSCHAFTEN

Konstruktionsmerkmale

Fasertyp	Multimode
Verbindertype	LC
Farbe	Aqua

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name	Fasertyp	Verbindertype	Farbe
	N205.ALC12MMA	-	LANmark-OF-Adapterplatte 12 LC Multimode Aqua	Multimode	LC	Aqua
	N205.ALC12SMB	-	LANmark-OF-Adapterplatte 12 LC Singlemode, blau	SingleMode 9/125	LC	blau
	N205.ALC24MMA	-	LANmark-OF-Adapterplatte 24 LC Multimode Aqua	Multimode	LC	Aqua
	N205.ALC24SMB	-	LANmark-OF-Adapterplatte 24 LC Singlemode, blau	SingleMode 9/125	LC	blau
	N205.ALC24SAG	-	LANmark-OF-Adapterplatte 24 LC Singlemode APC grün	SingleMode 9/125	LC/APC	grün
	N205.ALC12SAG	-	LANmark-OF-Adapterplatte 12 LC Singlemode APC grün	SingleMode 9/125	LC/APC	grün
	N205.ASC12SMB	-	LANmark-OF-Adapterplatte 12 SC Singlemode, blau	SingleMode 9/125	SC	blau
	N205.ALC12MMV	-	LANmark-OF-Adapterplatte 12 LC Multimode Violett	Multimode	LC	Violet
	N205.ALC24MMV	-	LANmark-OF-Adapterplatte 24 LC Multimode Violett	Multimode	LC	Violet

= Make to order, = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.