LANmark-OF ENSPACE-Patchfelder


- Optische Patchfelder mit extrem hoher oder hoher Dichte

Für Bereiche mit extrem hoher Dichte, wie beispielsweise Patchzonen, hat Aginode die ENSPACE UHD-Panels entwickelt. Die Panels unterstützen 144 LC-Anschlüsse oder 72 MTP-Ports pro „U“, ohne dabei die betriebliche Effizienz zu beeinträchtigen. Die Panels verfügen über drei separate Schiebefächer pro „U“. Jede einzelne Schublade lässt sich nach vorne ziehen, um einen einfachen Zugriff auf die Patchkabel zu ermöglichen und den täglichen Betrieb zu erleichtern. Eine innovative hintere Schublade erleichtert die Installation der Pre-Terms in den UHD-Panels. Die Panels sind in den Ausführungen 1U, 2U und 4U erhältlich.

Die ENSPACE HD-Panels können in Server-Racks oder in Patch-Bereichen mit geringerer Dichte installiert werden. Sie bieten eine hohe Dichte von 96 LC- oder 48 MTP-Ports pro Rack-Einheit. Die festen Einschübe sind versetzt angeordnet und ermöglichen einen einfachen Zugriff auf die Patchkabel. Es sind 1U- und 2U-Panels erhältlich.

Bei allen Panels können Anschlüsse nach Bedarf hinzugefügt werden, ohne bereits installierte Verbindungen zu unterbrechen. Die ENSPACE-Module und Pre-Terms lassen sich von der Rückseite aus installieren. Umzüge, Erweiterungen und Änderungen für jedes Projekt können ohne Beeinträchtigung des Betriebs eines Rechenzentrums vorgenommen werden.

Vor den Modulen befindet sich eine Beschriftungsblende. Diese lässt sich um fast 180° drehen, selbst wenn darunter ENSPACE-Patchpanels installiert sind. Dies erleichtert die Portidentifizierung, wenn das Panel oben im Rack montiert ist.



STANDARDS

ISO/IEC 11801

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

LANmark-OF ENSPACE-Patchfelder

EIGENSCHAFTEN

Abmessungsmerkmale

Einheitshöhe	1 U

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name
	NSPACE.PP1U	-	LANmark-OF ENSPACE UHD-Patchfeld 1U, 12 Module, schwarz
	NSPACE.PP2U	-	LANmark-OF ENSPACE UHD-Patchfeld 2U, 24 Module, schwarz
	NSPACE.PP4U	-	LANmark-OF ENSPACE UHD-Patchfeld 4U, 48 Module, schwarz
	NSPACE.PPCB1U4S	-	LANmark-OF ENSPACE Patchfeld-Kabelhalterung 1U, 4 Steckplätze
	NSPACE.PPCB2U8S	-	LANmark-OF ENSPACE Patchfeld-Kabelhalterung 2U, 8 Steckplätze
	NSPACE.PPHD2U	-	LANmark-OF ENSPACE HD-Patchfeld 2U, 16 Module, schwarz
	NSPACE.PPHD1U	-	LANmark-OF ENSPACE HD Patchfeld 1U, 8 Module, schwarz
	NSPACE.PPCBM40	-	LANmark-OF ENSPACE Patchfeld-Kabelhalterung 2U, 1 Steckplatz, M40
	NSPACE.PP1U8	-	LANmark-OF ENSPACE Base8-Glasfaser-Patchfeld mit extrem hoher Dichte, 1 HE, für 18 LANmark-OF ENSPACE Base8-Kassetten, schwarz
	NSPACE.PP2U8	-	LANmark-OF ENSPACE Base8 Glasfaser-Patchfeld mit extrem hoher Dichte, 2 HE, für 36 LANmark-OF ENSPACE Base8-Kassetten, schwarz
	NSPACE.PP4U8	-	LANmark-OF ENSPACE Base8 Glasfaser-Patchfeld mit extrem hoher Dichte, 4HE, für 72 LANmark-OF ENSPACE Base8-Kassetten, schwarz

= Make to order, = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.