

Universeller Mini-Verteiler

- Anwendung als Consolidation Point.
- Kompatibel mit allen Snap-in Buchsen.
- 12 Ports mit Staubschutzdeckeln.
- Einfach zu installieren.
- Vorperforierung für die Kabelöffnung.

Entwickelt für die Installation am Consolidation Point, sorgt dieser Mini-Verteiler für mehr Flexibilität im Büro.

Der Mini-Verteiler kann leicht in der abgehängten Decke, im Doppelboden oder an der Wand befestigt werden.

Der Mini-Verteiler ist kompatibel mit allen Aginode Snap-in Buchsen, die einfach nur eingeklickt werden müssen.

- bis zu 12 abdeckbare, vornummerierte Ports.
- Clip-on Mechanismus für einfache Erdung und Massung.
- zwei vorperforierte Öffnungen, je einer am Boden und auf der Rückseite.
- Aussparungen für Kabelbinder zur Zugentlastung.



Universeller Mini-Verteiler

EIGENSCHAFTEN

Konstruktionsmerkmale

Farbe White RAL 9002

Werkstoff Steel

Abmessungsmerkmale

Tiefe 200 mm

Höhe 45 mm


Breite 230 mm

Anwendungsmerkmale

Anzahl der Ports 12


Resources

Installation Guide







PDF - 1.18 MB



OF Ruggedised Lockable Zone Distribution Box

Herunterladen 

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

Aginode ref.	Country ref.	Name	Farbe	Tiefe	Höhe	Breite
 N521.600	-	LANmark ZD box 12 Snap-In White	White RAL 9002	200 (mm)	45 (mm)	230 (mm)
 N521.606	-	LANmark Miniverteiler für 6 Snap-In Buchsen, weiss	White RAL 9002	125 (mm)	42 (mm)	120 (mm)
 N521.612	-	Miniverteiler, industrietauglich, weiss	White RAL 9002	300 (mm)	55 (mm)	260 (mm)
 N521.6121	-	Sockel für industrietauglichen LANmark Miniverteiler	White RAL 9002	250 (mm)	35 (mm)	253 (mm)

 = Make to order,  = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.