

# LANmark-OF Zone Distribution Box

- - Leere Lichtwellenleiter ZD-Box
- - Geeignet für direkte Terminierung oder Spleißen

## Anwendung

Konzipiert für die Installation von Zonenverkabelung, Glasfaser zum Büro und zum Schreibtisch

## Kompatibilität

Geeignet für dichtes Bündelkabel (direkter Anschluss) oder Bündelader mit Spleißablage

Kompatibel mit allem LANmark-OF-Zubehör

## Installation

Der OF-Zonenverteiler ist mit vier Befestigungspunkten in der Bodenplatte einfach in der Decke, im Zwischenboden oder an der Wand zu installieren.

Zur Kabeleinführung ist auf der Rückseite eine vorgelochte Öffnung für eine Kabelverschraubung PG 16 vorgesehen.

Es gibt einen Befestigungspunkt für die Aginode-Spleißkamm.

Aufgedrucktes Nummerierungssystem auf dem Deckel



## STANDARDS

ISO/IEC 11801

# LANmark-OF Zone Distribution Box

## EIGENSCHAFTEN

### Abmessungsmerkmale

Tiefe	200 mm
Höhe	40 mm
Breite	230 mm

### Anwendungsmerkmale

Einsatzbereich	Innenraum
Verpackung	Box

## Product list

	Aginode ref.	Country ref.	Name
☒	N521.630	-	LANmark-OF Modular Zone Distribution Box

☒ = Make to order, ☒ = In Stock

*All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.*