

LANmark-7A GG45 8C PCB Buchse für Leiterplatte

- Rechtwinklige Kat .7A PCB Buchse für bis zu 1500 MHz
- für den Einbau in Aktiv-Komponenten
- UL94-V0 Plastik Komponenten
- RoHS compliant
- geeignet für Lötbad

Für detailliertere Informationen mit Angabe der elektrischen Parameter, verweisen wir auf das Datenblatt von N420.738 (siehe unten)



STANDARDS

ISO/IEC 11801

LANmark-7A GG45 8C PCB Buchse für Leiterplatte

EIGENSCHAFTEN

Konstruktionsmerkmale

Farbe	Schwarz
Schirm	Ja
Verbindertyp	Female

Abmessungsmerkmale

Tiefe	21.84 mm
Höhe	13.5 mm
Breite	15.24 mm

Anwendungsmerkmale

Bereich	LANmark-7A
Kategorie	Cat. 7A
Komponentenfunktion	Connector

Product list

	Aginode ref.	Country ref.	Name	Bereich	Kategorie
☎	N420.738	-	LANmark-7A GG45 8C PCB Buchse für Leiterplatten	LANmark-7A	Cat. 7A
☎ = Make to order, 📦 = In Stock					

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.