LANmark Industry IP65/67 Wanddosen

LANMARK INDUSTRY IP65/67 OUTLET KIT 2 SNAP-IN CATEGORY 6A BLACK

Aginode Ref: N42i.002

LANmark Industry IP67 Wanddosen

IP65/67 Wanddosen für LANs in der Industrie oder ungeschützer Umgebung.



STANDARDS

ISO/IEC 11801
ISO/IEC 24702

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

LANmark Industry IP65/67 outlet kit 2 Snap-In Category 6A black

Eigenschaften

Konstruktionsmerkmale	
Kabeleingang	von oben oder unten
Farbe	Schwarz
Verbindertype	RJ 45
Werkstoff	Polycarbonate
Schirm	Ja
Abmessungsmerkmale	
Nettogewicht pro Stück	0.29 kg
Tiefe	69 mm
Abmesserungen der Schraube	4.00mm
Höhe	173 mm
Länge festes Ende	230.0 mm
Anzahl der Kabel	2
Anzahl der Schrauben	4
Wanddicke	2.5 mm
Breite	90 mm
Elektrische Eigenschaften	
Wellenwiderstand	100 Ohm
Maximale Betriebsfrequenz	500 MHz
Mechanische Eigenschaften	
Mechanische Festigkeit gegen Schläge	normale Industrieanwendung
Anwendungsmerkmale	
Kategorie	Cat. 6A
Komponentenfunktion	Cabling and Connectivity solutions
Elektromagnetisch geschirmt	Yes
Einsatzbereich	Industrial installations

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Max. Betriebstemperatur	70 °C
Min. Betriebstemperatur	-40 °C
Anzahl der Ports	2
Verpackung	Box
Wasserdicht	IP 65/67
Witterungsbeständig	Excellent

Dokumentation

Freetable LM6A Channel V2 Part 1_1.xls xls — 20.5 KB Herunterladen

Freetable LM6A Channel V2 Part 2_1_1.xls xls — 24.5 KB Herunterladen

Verkauf & Lieferung Informationen

Includes automatic shutters, 2xCable Glands, 2xLANmark-6A shielded connector, 1xLabelling window. Colour: Black RAL9011

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.