


LANmark Industry Hutschienen Adapter und Verteiler

LANMARK INDUSTRY MODULE DIN-RAIL MOUNT WITH 1 SNAP-IN CATEGORY 7A GREY

Aginode Ref: N20I.005

- For DIN-Rail mount (35mm)
- Data connection for industrial environments
- Easy termination, without punch down tool.
- Includes Mount + LANmark-7A shielded connector
- For technical enclosures, Wireless Access Points, Industrial cabinets

Hutschienen Adapter und Verteiler für LAN Anwendungen in der Industrie.



STANDARDS

ISO/IEC 11801

ISO/IEC 24702

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

LANmark Industry module DIN-rail mount with 1 Snap-In

Category 7A grey

Eigenschaften

Konstruktionsmerkmale

Farbe	grau
Schirm	Ja
Kabeleingang	von oben
Werkstoff	ABS
Verbindertyp	Snap-In

Abmessungsmerkmale

Tiefe	65 mm
Höhe	77.8 mm
Breite	18 mm
Abmessungen der Schraube	N/A
Anzahl der Kabel	1
Wanddicke	1.6 mm
Nettogewicht pro Stück	0.03 kg
Länge festes Ende	80.0 mm

Elektrische Eigenschaften

Maximale Betriebsfrequenz	1000 MHz
Wellenwiderstand	100 Ohm

Mechanische Eigenschaften

Mechanische Festigkeit gegen Schläge	Gering
--------------------------------------	--------

Anwendungsmerkmale

Elektromagnetisch geschirmt	Yes
Einsatzbereich	Industrial installations
Anzahl der Ports	1
Kategorie	Cat. 7A
Komponentenfunktion	Cabling and Connectivity solutions
Verpackung	Plastic bag
Max. Betriebstemperatur	70 °C

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Wasserdicht

Nein

RoHS compliant

Yes

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.