Traversées LANmark-OF Snap-In

Les traversées LANmark-OF Snap-In ont été conçues pour une installation dans les panneaux, les boîtiers de zone et les prises LANmark-OF Snap-In.

Elles sont disponibles en SC Simplex, SC Duplex et LC Duplex. Les traversées Multimodes sont de couleur aqua, Les traversées Monomodes sont de couleur bleue tandis que les traversées Monomode APC sont de couleur verte.

Le temps d'installation est réduit grâce au concept Snap-In, évitant l'utilisation de vis et d'écrous.



STANDARDS

ISO/IEC 11801

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Traversées LANmark-OF Snap-In

CARACTÉRISTIQUES

Caractéristiques de construction

Couleur	Bleu
Type de connecteur	SC

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name	Type de connecteur	Couleur
	N205.624	-	Traversée LANmark-OF Snap-In SC Duplex Monomode	SC	Bleu
	N205.625	-	Traversée LANmark-OF Snap-In SC Duplex Monomode APC	SC/APC	Vert
	N205.617	-	Traversée LANmark-OF Snap-In LC Duplex Multimode Aqua	LC	Aqua
	N205.627	-	Traversée LANmark-OF Snap-In LC Duplex Monomode	LC	Bleu
	N205.628	-	Traversée LANmark-OF Snap-In LC Duplex Monomode APC	LC/APC	Vert
	N205.619	-	Traversée LANmark-OF Snap-In SC Duplex Multimode Aqua	SC	Aqua
	N205.623	-	LANmark-OF SC SNAP-IN适配器单模	SC	Bleu
	N205.626	-	LANmark-OF SC SNAP-IN适配器单模 APC	SC/APC	Vert
	N205.616	-	Traversée LANmark-OF Snap-In Duplex LC Multimode Violette	LC	Violet
	N205.619V	-	Adaptateur enfichable LANmark-OF duplex SC multimode violet	SC	Violet

= Make to order, = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.