

WLB-Med : Indoor Wall Box

WLB-MED - STANDARD

Aginode Ref: NWLB.M010DU.W

The WLB-Med is a compact and efficient fiber management solution designed for passive infrastructure cabling and other indoor fiber networks. It ensures secure connectivity, high-density fiber management, and easy maintenance.

Key Features


- **10 SC ports** for high-density connectivity
- **Two internal cassettes** for organized fiber routing
- **Wall-mounted, space-saving design**
- **IP42-rated enclosure** for dust and moisture protection
- **Quick-access cover** for simplified maintenance

Product Consistency

Standard : Ready for custom configurations.

Applications

- Passive fiber optic infrastructure networks(GPON & P2P, FTTO...cet)
- Wall-mounted fiber distribution point for structured cabling



STANDARDS

Aginode specification

WLB-Med - Standard

Caractéristiques

Caractéristiques de construction

Type de fibres optiques	SM (G.652)
-------------------------	------------

Caractéristiques dimensionnelles

Profondeur	42 mm
------------	-------

Hauteur (mm)	180 mm
--------------	--------

Largeur	125 mm
---------	--------

Caractéristiques mécaniques

Résistance aux chocs IK	8
-------------------------	---

Caractéristiques d'utilisation

Résistance au feu	UL 94 V0
-------------------	----------

Température ambiante d'utilisation, plage	-10...60 °C
---	-------------

Étanchéité	IP44
------------	------