
ダクト - ルーズ・チューブ・ケーブル



このケーブルは、アクセス、ディストリビューション、シティネットワーク、FTTxアプリケーションに使用されます。

特性と用途

- アウターシースの優れた摩擦特性による高いブローイングディスタンス
- 中央強度部材による補強
- 全誘電体設計
- 防水ドライコア構造

ファイバータイプ

ケーブルは異なるファイバータイプで利用可能です。

構造

- 着色繊維入りゼリー充填チューブ
- 中央FRP強度部材
- 低摩擦アウターシース

STANDARDS

EN 187000
IEC 60794

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

ダクト - ルーズ・チューブ・ケーブル

CHARACTERISTICS

Construction characteristics	
Fiber optic type	SM
Outer sheath	HDPE - UV Anti-Rodent / Anti-Termite
Strength member	FRP
Construction type	Loose Tube
Dimensional characteristics	
Number of tubes	6
Number of optical fibres	72
Usage characteristics	
Rodent protection	No
Operating temperature, range	-30...70 °C
Storage temperature, range	-30...70 °C
Installation type	Outdoor - Duct
Ambient installation temperature, range	-5...40 °C
Bending factor when laying	20 (xD)

販売および配送情報

標準マーキング

Aginode - MF - SPxxxx - FIBRE OPTIC CABLE - XX*YY - FB - TN - メトリック

XX = ファイバ数
YY = ファイバータイプ
FB = フレーメリー社（ベルギー）で製造
TN = トレーサビリティ番号

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	名前	Armour type	Outer sheath	Number of optical fibres	Installation type
		-	Loose Tube Armored Cable 6x12SM SP1958	Corrugated steel	LLDPE	72	Outdoor - Direct burial
	Loose Tube Dual Jacket Cable 6x12SM SP2046	-	Loose tube Dual Jacket Cable 6x12SM SP2046	Aramid yarn	HDPE - UV Anti-Rodent / Anti-Termite	72	Outdoor - Duct
	SP1449	-	Loose Tube Cable 6x12SM SP1449	Aramid yarn	HDPE	72	Outdoor - Duct
		-	Loose Tube Cable 12x12SM SP1451	Aramid yarn	HDPE	144	Outdoor - Duct
	Cable Loose Tube Renforcé 4x12 G652D SP1768	-	Loose Tube Armored Cable 4x12SM SP1768	Glass yarns	HDPE	48	Outdoor - Duct
	A-DQ(ZN)B2Y	-	Loose Tube Armored Cable 6x12SM SP1466	Glass yarns	HDPE	72	Outdoor - Duct
	Loose Tube Armored Cable 8x12SM SP1504	-	Loose Tube Armored Cable 8x12SM SP1504	Glass yarns	HDPE	96	Outdoor - Duct
		-	Loose Tube Armored Cable 12x12SM SP1500	Glass yarns	HDPE	144	Outdoor - Duct
		-	Loose Tube Metallic Armored Cable 6x12SM SP1505	Corrugated steel	HDPE	72	Outdoor
	Loose Tube Armoured Cable 24x12 SM SP2028	-	Câble armé à tube libre 24x12 SM SP2028	Corrugated steel	HDPE	288	Outdoor - Direct burial
	A/I-DQ(ZN)B2Y	-	Loose Tube LSZH Cable 6x12SM SP1499	Glass yarns	LSZH compound	72	Indoor/Outdoor
	10567920	-	Loose Tube Cable 8x12SM SP1450	Aramid yarn	HDPE	96	Outdoor - Duct
	A-DQ(ZN)B2Y 6x12SM	-	Loose Tube Armored Cable SP1978	Glass yarns	HDPE	12-72	Outdoor - Duct
	10507089	-	Unitube LSZH Cable 1x24SM SP1715	Glass yarns	LSZH compound	24	Indoor/Outdoor
	SP1715	-	Unitube LSZH Cable 1x24SM SP1715	Glass yarns	LSZH	24	Outdoor
	Loose Tube Cable 6x12SM SP1976	-	Loose Tube Cable 6x12SM SP1976	Unarmoured	HDPE	72	Outdoor - Duct

= Make to order, = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.