Modular Patch Panels for Snap-In Connectors

LANMARK MARITIME & INDUSTRY PATCH PANEL 24 SNAP-IN STAINLESS STEEL BLACK

Aginode Ref: N52M.664BK

- Robust stainless-steel design for harsh environments
- 24 Snap-In ports with shutters
- 1-24 printed port numbering
- Developed for use with LANmark ULTIM Cat 6A and GG45 Cat 7/7A connectors
- Auto-connect bonding system
- Rear cable management with cable tie slots for strain relief
- Black





STANDARDS

ISO/IEC 11801

Design and application

The LANmark Maritime & Industry panel is developed to be installed in harsh environments, such as on-board ships or in industrial areas.
Due to its stainless-steel construction and black finish, this panel is sturdy, durable and corrosion resistant, whilst offering a smooth appearance.
The panel is designed to accommodate all LANmark Snap-In connectors. For maritime environments, however, it is highly recommended to use only LANmark-6A ULTIM or GG45 Maritime connectors, which offer corrosion resistance.

Installation

Bonding of the screened connectors happens automatically through the mass contact clip, which is also manufactured from stainless-steel.
The earth connection of the panel is established through the unpainted zones on the panel edges in contact with the metal rack frame. In case the frames are painted, bonding can be established with the self-tapping screw supplied with the panel.
White 1 to 24 printed numbering offers clear port labelling and shutters prevent unpatched connectors from dust and dirt entry. The black shutters are removable and can be replaced with a coloured version for distinction between applications or identification of specific services. (8 colours available under part number series N421.701xxx).

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

The panel features cable management at the rear with cable-tie slots to facilitate strain relief. A bag of 25 cable ties is included with every panel.

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

LANmark Maritime & Industry Patch Panel 24 Snap-In Stainless Steel Black

Characteristics

Construction characteristics	
Colour	Black
Material	Stainless Steel
Dimensional characteristics	
Depth	75 mm
Width	19 inches
Heightunit	1 U
Usage characteristics	
Field of application	Maritime and industrial installations
Number of ports	24
Mechanical Resistance	Very good
Packaging	Cardboard box
Resistance to vibrations	High

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.