

# Microduct - Unitube cables

This unitube cable is used in the Access, Distribution, City Network and FTTx applications; it is designed to be easily installed designed for outdoor installation by blowing in microduct.

## Characteristics & Applications


- High blowing distance due to the excellent friction properties of the outer sheath
- Right balance between flexibility and rigidity
- Aramid yarns reinforcement
- All dielectric design
- Waterproof structure

## Fibre type

The cable is available with different fibre types.

## Construction

- Jelly filled dual wall tube
- Aramid yarns
- Low coefficient of friction sheath



## STANDARDS

EN 187000  
IEC 60794

# Microduct - Unitube cables

## CHARACTERISTICS

### 구조적 특성

색상	녹색
Fiber optic type	SM
Metal free	Yes
구조	Unitube

### 치수

Number of tubes	1
Number of optical fibres	12

### 기계적 특성

Crush resistance (IEC 60794-1-E3)	200 N/cm
-----------------------------------	----------

### 사용 특성

Storage temperature, range	-40...70 °C
Installation type	Outdoor - Microduct blowable
Installation temperature, range	0...40 °C
Bending factor when laying	20 (xD)

## 판매 및 배송 정보

## Standard Marking

Aginode - FIBRE OPTIC CABLE - B-Lite SPxxxx - XXxYY - FB - TN - metric

XX = Fibre Count

YY = Fibre Type

FB = Frameries, Belgium (manufacturing place)

TN = Traceability Number

## Product list

Aginode ref.	Country ref.	이름	색상	Fiber optic type	Number of optical fibres	Number of tubes
☎ SP1089	-	Microcable 1x12SM SP1089 B-LITE	녹색	SM	12	1
☎ SP1108	-	Microcable 1x6SM SP1108 B-LITE	녹색	SM	6	1
☎ SP1604	-	Microcable 1x12SM SP1604 B-LITE	검은색	SM	12	1
☎ 10561406	-	Microcable 1x4SM G657A1 SP1108 B-LITE	검은색	SM (G657.A1)	4	1
☎ SP1707	-	Microcable 1x12SM SP1707 B-LITE	검은색	SM (G657.A1)	12	1
☎ SP1806	-	Microcable 1x12SM SP1806 B-LITE	검은색	SM	12	1
☎ 14500878	-	Microcable 1x4 G657A1 SP1707 B-LITE (N)	녹색	SM (G657.A1)	4	1
☎ SP2015	-	Microcable 1x24SM 200µm SP2015 B-LITE	검은색	G657A1 - 200 µm	24	1
☎ Microcable 1X24 G657A1 SP2060 B-LITE	-	Microcable 1X24 G657A1 SP2060 B-LITE	검은색	SM (G657.A1)	24	1

☎ = Make to order, 🏠 = In Stock