덕트 - 느슨한 튜브 케이블



이 케이블은 액세스, 배전, 도시 네트워크 및 FTTx 애플리케이션에
사용되며 덕트를 당겨서 설치하거나 불어넣어 설치하도록 설계되었습니다
.

특성 및 응용 분야

- 외피의 우수한 마찰 특성으로 인한 높은 송풍 거리
- 중앙 강도 부재 보강
- 모든 유전체 설계
- 방수 건식 코어 구조

파이버 유형

케이블은 다양한 파이버 유형으로 제공됩니다.

구조

- 컬러 파이버가 포함된 젤리 충전 튜브
- 중앙 FRP 강도 부재
- 저마찰 외부 피복

STANDARDS

EN 187000
IEC 60794

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

덕트 - 느슨한 튜브 케이블

CHARACTERISTICS

구조적 특성	
Fiber optic type	SM
피복	HDPE - UV Anti-Rodent / Anti-Termite
Strength member	FRP
구조	루즈 튜브
치수	
Number of tubes	6
Number of optical fibres	72
사용 특성	
Rodent protection	No
操作温度范围	-30...70 °C
Storage temperature, range	-30...70 °C
Installation type	Outdoor - Duct
Ambient installation temperature, range	-5...40 °C
Bending factor when laying	20 (xD)

판매 및 배송 정보

표준 마킹

애지노드 - MF - SPxxxx - 광케이블 - XX*YY - FB - TN - 미터법

XX = 광케이블 개수
YY = 광케이블 유형
FB = 벨기에 프레임에서 생산됨
TN = 추적성 번호

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	이름	Armour type	피복	Number of optical fibres	Installation type
		-	Loose Tube Armored Cable 6x12SM SP1958	크레이프 스틸	LLDPE	72	Outdoor - Direct burial
	Loose Tube Dual Jacket Cable 6x12SM SP2046	-	Loose tube Dual Jacket Cable 6x12SM SP2046	아라미드	HDPE - UV Anti-Rodent / Anti-Termite	72	Outdoor - Duct
	SP1449	-	Loose Tube Cable 6x12SM SP1449	아라미드	HDPE	72	Outdoor - Duct
		-	Loose Tube Cable 12x12SM SP1451	아라미드	HDPE	144	Outdoor - Duct
	Cable Loose Tube Renforcé 4x12 G652D SP1768	-	Loose Tube Armored Cable 4x12SM SP1768	유리 섬유사	HDPE	48	Outdoor - Duct
	A-DQ(ZN)B2Y	-	Loose Tube Armored Cable 6x12SM SP1466	유리 섬유사	HDPE	72	Outdoor - Duct
	Loose Tube Armored Cable 8x12SM SP1504	-	Loose Tube Armored Cable 8x12SM SP1504	유리 섬유사	HDPE	96	Outdoor - Duct
		-	Loose Tube Armored Cable 12x12SM SP1500	유리 섬유사	HDPE	144	Outdoor - Duct
		-	Loose Tube Metallic Armored Cable 6x12SM SP1505	크레이프 스틸	HDPE	72	Outdoor
	Loose Tube Armoured Cable 24x12 SM SP2028	-	Câble armé à tube libre 24x12 SM SP2028	크레이프 스틸	HDPE	288	Outdoor - Direct burial
	A/I-DQ(ZN)B2Y	-	Loose Tube LSZH Cable 6x12SM SP1499	유리 섬유사	LSZH compound	72	Indoor/Outdoor
	10567920	-	Loose Tube Cable 8x12SM SP1450	아라미드	HDPE	96	Outdoor - Duct
	A-DQ(ZN)B2Y 6x12SM	-	Loose Tube Armored Cable SP1978	유리 섬유사	HDPE	12-72	Outdoor - Duct
	10507089	-	Unitube LSZH Cable 1x24SM SP1715	유리 섬유사	LSZH compound	24	Indoor/Outdoor
	SP1715	-	Unitube LSZH Cable 1x24SM SP1715	유리 섬유사	저연 할로겐 프리	24	Outdoor
	Loose Tube Cable 6x12SM SP1976	-	Loose Tube Cable 6x12SM SP1976	비피복	HDPE	72	Outdoor - Duct

= Make to order, = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.