

월드롭 V2

- 파사드 및 벽면의 실외용으로 설계됨
- 최대 10명의 가입자 연결 지원
- 미적 솔루션을 위한 컴팩트한 크기
- 12~36개 스플라이스로 확장 가능
- 인라인 또는 브랜치 분배기로 사용

월드롭 박스는 광케이블 배선용으로 설계되었습니다. 디자인 덕분에 시각적으로 눈에 거슬리지 않으며 최대 10개의 보조 또는 가입자 케이블을 분배할 수 있습니다.

12개 스플라이스용 스플라이스 카세트가 기본으로 장착되어 있으며, 현장에서 연결을 중단하지 않고 36개 스플라이스까지 확장할 수 있습니다(확장 키트 참조). 월드롭 박스는 인라인 케이블의 마이크로모듈을

제거하거나 드롭 케이블을 인입하기 위한 전환 지점으로 사용하기에 적합합니다. 정선 박스로 사용할 경우, 강도 부재 및/또는 아라미드 케이블을 고정하기 위해 금속 브래킷을 제공할 수 있습니다.

케이블 글랜드에는 3~7mm(3-5 및 5~7mm용 2종류)의 개구부를 위한 플러그가 있는 고무 씬이 장착되어 있습니다. 인라인 케이블용 측면 분할 씬은 6~12mm의 케이블 직경을 수용합니다(3가지 씬 크기: 6-8, 8-10, 10-12mm).

정리 트레이는 광케이블 또는 마이크로모듈을 위한 다양한 와인딩 구역으로 구성되며, 메인 케이블과 가입자 연결부에서 빼낼 수 있습니다.

메인 케이블은 하우징 외부의 케이블 클램프에 부착됩니다.


스플라이스 카세트에는 1x4 베어 파이버 스플리터를 위한 슬롯이 있습니다.

설치에 따라 월드롭 박스를 수평 또는 수직으로 설치할 수 있습니다.

케이블에 직접 매달아 설치할 수도 있습니다.

제품에는 설치에 필요한 모든 액세서리(빗, 카세트, 씬, 플라스틱 타이 및 벽면 장착 키트)가 함께 제공됩니다.

제품은 밝은 회색 또는 검은색으로 제공됩니다.



STANDARDS

Aginode specification

월드롭 V2

CHARACTERISTICS

구조적 특성

색상	담회색 RAL 7035
Material	Thermoplastic

치수

Height	48 mm
Width	138 mm
Length	203 mm
Max. number of cables	10
Max. number of cassettes	1
Splice number	12
Diameter main cable	10...12 mm
Diameter branch cable	5...7 mm

기계적 특성

IK Rating	8
-----------	---

사용 특성

操作温度范围	-40...65 °C
Minimum static operating bending radius	15 mm
U.V resistance	Yes
Packaging	Box
Installation type	Outdoor
RoHS compliant	Yes
Watertightness	IP 55


Resources


문서

Instruction manual pdf — 5.25 MB [다운로드 ↓](#)

Leaflet Facade Solution EN pdf — 5.07 MB [다운로드 ↓](#)

Product list

Aginode ref.	Country ref.	이름	색상	Diameter branch cable	Diameter main cable	Height	Max. number of cassettes	Splice number
 10280444	-	WALLDROP V2 12OF	담회색 RAL 7035	5...7 (mm)	10...12 (mm)	48 (mm)	1	12
 10280446	-	WALLDROP V2 36OF	담회색 RAL 7035	5...7 (mm)	10...12 (mm)	70 (mm)	3	36
 10280448	-	월드롭 V2 확장 키트	담회색 RAL 7035	3...7 (mm)	6...12 (mm)	70 (mm)	2	24
 10280443	-	WALLDROP V2 12OF	검은색	5...7 (mm)	10...12 (mm)	48 (mm)	1	12
 10280445	-	WALLDROP V2 36OF	검은색	5...7 (mm)	10...12 (mm)	70 (mm)	3	36
 10280447	-	월드롭 V2 확장 키트	검은색	3...7 (mm)	6...12 (mm)	70 (mm)	2	24
 10284259	-	WALLDROP V2 12OF FL	검은색	3...5 (mm)	10...12 (mm)	70 (mm)	1	12
 10225037	-	WALLDROP V2 12OF	담회색 RAL 7035	3...5 (mm)	6...12 (mm)	70 (mm)	1	12
 13200411	-	월드롭 창문 보호 클립	검은색	3...7 (mm)	10...12 (mm)	33 (mm)	1	12
 13200235	-	월드롭 폴 마운팅 브래킷	검은색	3...7 (mm)	6...12 (mm)	43 (mm)	3	12

 = Make to order,  = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.