LANmark-OF 무산소 커넥터 - 개별 포장

- 현장 종단용 커넥터
- Aginode 무산소 툴킷을 사용하여 설치
- 900µm 광섬유 및 케이블에 설치하기에 적합

Aginode는 현장 종단 작업에 사용할 수 있는 다양한 광섬유 커넥터를 제공합니다. 이 모든 커넥터는 최신 ISO 11801 표준을 충족합니다.

사용 가능한 커넥터 유형:

- SC
- LC

최적의 설치를 위해 Aginode는 자사의 혐기성 툴킷(품번: 102.220) 사용을 권장합니다. 이 툴킷은 현장 작업을 보다 수월하게 진행할 수 있도록 포괄적인 도구 및 소모품 세트를 제공하며, 삽화가 포함된 설치 설명서가 함께 제공됩니다.



STANDARDS

ISO/IEC 11801

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

LANmark-OF 무산소 커넥터 - 개별 포장

CHARACTERISTICS

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.