
# Power over Ethernet



Aginode iOption for Power over Ethernet is an optional extension to enable PoE, PoE+ or PoE++ on the RJ45 interfaces of the iGigaSwitch and XGigaSwitch series.

| Ordering Information | iOption PoE+ 2/4-30W | iOption PoE+ 6/8-30W | iOption PoE+ 10/12-30W | iOption PoE++ 2/4-90W | iOption PoE++ 6/8-90W |
|---|---|---|---|---|---|
| Article number | 88301602 | 88301604 | 88301606 | 88301664 | 88301666 |
| Number of PoE ports | 2 or 4 | 6 or 8 | 10 or 12 | 2 or 4 | 6 or 8 |
| Max. output power per port | 30W | 30W | 30W | 90W | 90W |
| Total output power | 120W | 240W | 360W | 360W | 540W |
| Capable with | | | | | |
| iGigaSwitch 1002 | x | x | | | |
| iGigaSwitch 1004 | x | x | | x | x |
| iGigaSwitch 1008 | x | | | | |
| iGigaSwitch 1604 | x | x | x | | |
| iGigaSwitch 1606 | x | x | | | |
| iGigaSwitch 1608 | x | x | | | |
| iGigaSwitch 1612 | x | | | | |

*All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.*

| Ordering Information | iOption PoE+2/4-30W | iOption PoE+6/8-30W | iOption PoE+ 10/12-30W | iOption PoE++ 2/4-90W | iOption PoE++ 6/8-90W |
|---|---|---|---|---|---|
| XGigaSwitch DICE | | x | | | x |

*All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.*

## Product list

| | Aginode ref. | Country ref. | 이름 |
|---|---|---|---|
| | 88301604 | - | iOption PoE+ 6/8-30W |
| | 88301606 | - | iOption PoE+ 10/12-30W |
| | 88301664 | - | iOption PoE++ 2/4-90W |
| | 88301666 | - | iOption PoE++ 6/8-90W |
| | 88301602 | - | iOption PoE+ 2/4-30W |

= Make to order, = In Stock

*All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.*