LANmark WDZAN/BN/CN-RYYP CU/LSZH/OS(TC)/LSZH Shielded Fire Resistant Flexible Cable

The LANmark Series of low-voltage cables are specialized cables designed for communication, signal transmission and low-voltage power supply of security equipment.
They are widely deployed in public security, monitoring projects, commercial buildings, residential buildings, smart homes and intelligent building systems.



Characteristic

- Copper Class 5
- Insulation of polyolefin, colored
- LSZH jacket
- Fire Resistant: 90min under 750°C fires
- Nominal Voltage: U0/U=300/300V
- Temperature range: operation: -20°C ~ 70°C
  installation: 0°C ~ 50°C

Insulation color

Cores No.	color
2	Blue, Red
3	Blue, Red, Yellow/Green or Blue, Red, Green
4	Blue, Red, Green, Yellow/Green or Blue, Red, Green,Yellow
5	Blue, Red, Green,Yellow, Yellow/Green or Blue, Red, Green,Yellow, Black
6	Blue, Red, Green,Yellow, Black, Yellow/Green or Blue, Red, Green,Yellow, Black, Brown
7	Yellow jacket with number except Yellow/Green core.

Note: When there is a yellow/green ground wire in the core combination, The N-cord needs to add the suffix "G". The cross section will be using "G" to replace "x".

STANDARDS

IEC 60228
IEC 60754
IEC 61034
IEC 60332-3

TECHNICAL DATA

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

N – Code	Type	Cross section (mm²)	Insulation (mm)	Sheath (mm)	General OD. max	mix	Conductor Resistance 20°C / Ω/km	Insulation Resistance 70°C / MΩ.km
N10RA3YWPN205	WDZAN-RYYP	2x0.5	0.5	0.6	5.9	7.9	39.0	0.013
N10RA3YWPN305	WDZAN-RYYP	3x0.5	0.5	0.6	6.2	8.2	39.0	0.013
N10RA3YWPN405	WDZAN-RYYP	4x0.5	0.5	0.6	6.8	8.8	39.0	0.013
N10RA3YWPN505	WDZAN-RYYP	5x0.5	0.5	0.6	7.3	9.3	39.0	0.013
N10RA3YWPN605	WDZAN-RYYP	6x0.5	0.5	0.8	8.0	10.0	39.0	0.013
N10RA3YWPN805	WDZAN-RYYP	8x0.5	0.5	0.9	8.8	10.8	39.0	0.013
N10RA3YWPN207	WDZAN-RYYP	2x0.75	0.5	0.6	6.2	8.2	26.0	0.011
N10RA3YWPN307	WDZAN-RYYP	3x0.75	0.5	0.6	6.6	8.6	26.0	0.011
N10RA3YWPN307G	WDZAN-RYYP	3G0.75	0.5	0.6	6.6	8.6	26.0	0.011
N10RA3YWPN407	WDZAN-RYYP	4x0.75	0.5	0.8	7.2	9.2	26.0	0.011
N10RA3YWPN507	WDZAN-RYYP	5x0.75	0.5	0.8	7.8	9.8	26.0	0.011
N10RA3YWPN607	WDZAN-RYYP	6x0.75	0.5	0.8	8.4	10.4	26.0	0.011
N10RA3YWPN807	WDZAN-RYYP	8x0.75	0.5	0.8	9.4	11.4	26.0	0.011
N10RB3YWPN210	WDZBN-RYYP	2x1.0	0.6	0.6	7.0	9.0	19.5	0.010
N10RB3YWPN310	WDZBN-RYYP	3x1.0	0.6	0.8	7.4	9.4	19.5	0.010
N10RB3YWPN410	WDZBN-RYYP	4x1.0	0.6	0.9	8.1	10.1	19.5	0.010
N10RB3YWPN510	WDZBN-RYYP	5x1.0	0.6	0.9	8.8	10.8	19.5	0.010
N10RB3YWPN610	WDZBN-RYYP	6x1.0	0.6	1.0	9.8	11.8	19.5	0.010
N10RB3YWPN810	WDZBN-RYYP	8x1.0	0.6	1.0	10.9	12.9	19.5	0.010
N10RB3YWPN215	WDZBN-RYYP	2x1.5	0.6	0.8	7.6	9.6	13.3	0.010
N10RB3YWPN315	WDZBN-RYYP	3x1.5	0.6	0.8	8.0	10.0	13.3	0.010
N10RB3YWPN415	WDZBN-RYYP	4x1.5	0.6	0.9	8.8	10.8	13.3	0.010
N10RB3YWPN515	WDZBN-RYYP	5x1.5	0.6	1.0	9.8	11.8	13.3	0.010
N10RB3YWPN615	WDZBN-RYYP	6x1.5	0.6	1.0	10.6	12.6	13.3	0.010
N10RB3YWPN815	WDZBN-RYYP	8x1.5	0.6	1.0	11.9	13.9	13.3	0.010
N10RC3YWPN225	WDZCN-RYYP	2x2.5	0.7	1.0	9.1	11.1	7.98	0.009
N10RC3YWPN325	WDZCN-RYYP	3x2.5	0.7	1.0	9.6	11.6	7.98	0.009
N10RC3YWPN425	WDZCN-RYYP	4x2.5	0.7	1.0	10.6	12.6	7.98	0.009
N10RC3YWPN525	WDZCN-RYYP	5x2.5	0.7	1.1	11.7	13.7	7.98	0.009
N10RC3YWPN625	WDZCN-RYYP	6x2.5	0.7	1.1	12.8	14.8	7.98	0.009

Note: When there is a yellow/green ground wire in the core combination, The N-cord needs to add the suffix "G". The cross section will be using "G" to replace "x".

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.