

# LANmark-OF Zone Distribution box

- Empty ZD box optical fiber
- Suitable for direct termination or splicing.

## Application

- 광을 사무실과 데스크로 배선하는데 필요한 설치를 위해 설계

## Compatibility

타이트 버퍼 케이블(직접 종단 작업)이나 스플라이스 트레이를 이용한 루즈 튜브에 적합 합니다.

모든 LANmark-OF 액세서리에 적합 합니다.

## Installation

OF ZD 박스는 4개의 고정용 포인트를 이용하여 천장, 바닥, 벽에 쉽게 설치 할 수 있습니다.

케이블 인입을 위해 후면에 케이블 글랜드(PG-16)용 입구가 사전 제작되어 있으며 그곳을 통해 스플라이스 트레이를 고정 시킬 수 있습니다.

커버 위에 라벨링이 가능 합니다.



## STANDARDS

ISO/IEC 11801

# LANmark-OF Zone Distribution box

## CHARACTERISTICS

치수	
Depth	200 mm
Height	40 mm
Width	230 mm
사용 특성	
Field of application	Indoor
Packaging	Box

*All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.*

## Product list

	Aginode ref.	Country ref.	이름
☒	N521.630	-	LANmark-OF modular Zone distribution box empty

☒ = Make to order, ☒ = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.