

Duct - Loose Tube cables

This cable is used for Access, Distribution, City Network and FTTx applications. It is designed to be installed by pulling or blowing in ducts.

Characteristics & Applications


- High blowing distance due to the excellent friction properties of the outer sheath
- Central strength member reinforcement
- All dielectric design
- Waterproof dry core structure

Fibre Type

The cable is available with different fibre types.

Construction

- Jelly filled tubes containing coloured fibres
- Central FRP strength member
- Low friction outer sheath



STANDARDS

EN 187000
IEC 60794

Duct - Loose Tube cables

CHARACTERISTICS

Construction characteristics

Fiber optic type	SM
Outer sheath	HDPE - UV Anti-Rodent / Anti-Termite
Strength member	FRP
Construction type	Loose Tube

Dimensional characteristics

Number of tubes	6
Number of optical fibres	72

Usage characteristics

Rodent protection	No
Operating temperature, range	-30...70 °C
Storage temperature, range	-30...70 °C
Installation type	Outdoor - Duct
Ambient installation temperature, range	-5...40 °C
Bending factor when laying	20 (xD)

Selling & delivery Information

Standard Marking

Aginode - MF - SPxxxx - FIBRE OPTIC CABLE - XX*YY - TN - metric

XX = Fibre Count

YY = Fibre Type

TN = Traceability Number

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

Aginode ref.	Country ref.	Name	Armour type	Outer sheath	Number of optical fibres	Installation type
☎ Loose Tube Dual Jacket Cable 6x12SM SP2046	-	Loose tube Dual Jacket Cable 6x12SM SP2046	Aramid yarn	HDPE - UV Anti-Rodent / Anti-Termite	72	Outdoor - Duct
☎ SP1449	-	Loose Tube Cable 6x12SM SP1449	Aramid yarn	HDPE	72	Outdoor - Duct
☎	-	Loose Tube Cable 12x12SM SP1451	Aramid yarn	HDPE	144	Outdoor - Duct
☎ Cable Loose Tube Renforcé 4x12 G652D SP1768	-	Loose Tube Armored Cable 4x12SM SP1768	Glass yarns	HDPE	48	Outdoor - Duct
☎ A-DQ(ZN)B2Y	-	Loose Tube Armored Cable 6x12SM SP1466	Glass yarns	HDPE	72	Outdoor - Duct
☎ Loose Tube Armored Cable 8x12SM SP1504	-	Loose Tube Armored Cable 8x12SM SP1504	Glass yarns	HDPE	96	Outdoor - Duct
☎	-	Loose Tube Armored Cable 12x12SM SP1500	Glass yarns	HDPE	144	Outdoor - Duct
☎ A/I-DQ(ZN)B2Y	-	Loose Tube LSZH Cable 6x12SM SP1499	Glass yarns	LSZH compound	72	Indoor/Outdoor
☎ 10567920	-	Loose Tube Cable 8x12SM SP1450	Aramid yarn	HDPE	96	Outdoor - Duct
☎ A-DQ(ZN)B2Y 6x12SM	-	Loose Tube Armored Cable SP1978	Glass yarns	HDPE	12-72	Outdoor - Duct
☎ 10507089	-	Unitube LSZH Cable 1x24SM SP1715	Glass yarns	LSZH compound	24	Indoor/Outdoor
☎ SP1715	-	Unitube LSZH Cable 1x24SM SP1715	Glass yarns	LSZH	24	Outdoor
☎ Loose Tube Cable 6x12SM SP1976	-	Loose Tube Cable 6x12SM SP1976	Unarmoured	HDPE	72	Outdoor - Duct

☎ = Make to order, 🏠 = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.