LANmark Secure Lock RJ45 Port Blockers

- Compatible with standard RJ45 Jacks.
- Dedicated key for removal
- Available in Red, Blue and Black colours.

- An effective way to secure the network infrastructure by blocking out unused or unauthorized RJ45 Jacks.
- Port Blockers protect the hardware from dust and entry of harmful foreign objects.
- Port Blocker helps in securing connections in public areas and shared spaces.
- Provides security by ensuring no unauthorized connections are made
- To be used in data centres, financial services, health care, and other mission-critical networks.
- Installation is easy, and removal will not interfere with the jack contacts or lead to the degradation of network performance.
- Packaging info: One bag of LANmark Secure Lock RJ45 Port Blockers contains 100pcs of Port Blockers

The plastic material is UL 94V-2

Note: This product range is sold worldwide except North America.



STANDARDS

ISO/IEC 11801

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

LANmark Secure Lock RJ45 Port Blockers

CHARACTERISTICS

Construction characteristics	
Colour	Red
Connector type	RJ 45
Usage characteristics	
Operating temperature, range	-10...60 °C
RoHS compliant	Yes

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name
	N110.SRJPBR	-	LANmark Secure Lock RJ45 Port Blocker - Red
	N110.SRJPBB	-	LANmark Secure Lock RJ45 Port Blocker - Blue
	N110.SRJPBK	-	LANmark Secure Lock RJ45 Port Blockers - Black

= Make to order, = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.