

LANmark-6A ULTIM Snap-In Connector

… Elevating Connections, Redefining Reliability

To continue offering high-end solutions, Aginode proposes a new Category 6A connector: LANmark ULTIM.

- Superior headroom thanks to new engine technology
- One-piece toolless design for fast and easy connectorisation
- 90W PoE certified, compliant with IEC 60512-99-002
- Die-cast housing offering excellent EMC and Alien Crosstalk performance
- Sustainable packaging: zero plastic, 100% recyclable


Data requirements for smart building applications have grown significantly with the rise of IP convergence and the technological evolution of certain applications. Power over Ethernet (PoE) protocols, for instance, have tripled the power requirements, which in turn has influenced how cabling infrastructures are designed.

Similarly, wireless networks have experienced a major boost in speed and capacity with the introduction of WiFi 6, WiFi 6E, and WiFi 7.

These technological evolutions require a reliable, high-performing, and scalable cabling infrastructure.

Additionally, considering environmental factors, cabling solutions have become a critical component in ensuring the efficient operation of smart buildings.

With many years of experience in structured cabling, Aginode recognises the importance of providing solutions that meet these technological advancements while ensuring the long-term sustainability of smart buildings.



LANmark-6A ULTIM Snap-In Connector

CHARACTERISTICS

Construction characteristics

Connector type	RJ45 and Tool-less IDC
----------------	------------------------

Screen	Yes
--------	-----

Usage characteristics

Category	Cat. 6A
----------	---------

Range	LANmark-6A
-------	------------

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name
☒	N420.960	Europe/Africa	LANmark-6A ULTIM Snap-In Connector Category 6A Screened

☒ = Make to order, ☒ = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.