LANmark Zone Distribution Boxes

- For use as consolidation point.
- Compatible with all LANmark snap-in connectors.
- 6 or 12 numbered snap-in ports with shutters.
- Easy to install



Designed for use as consolidation points, zone distribution boxes significantly increase the flexibility of desk locations in open office environments. They are particularly useful in offices where frequent relocation of outlets in the work area is required.

Aginode ZD boxes are easy to install on walls, under raised floors or in ceiling voids, due to their multiple mounting features.

They are compatible with all LANmark Snap-In connectors, which can be easily inserted by a simple "one-click" movement.


All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

CHARACTERISTICS

Construction characteristics	
Colour	White RAL 9002
Material	Steel
Dimensional characteristics	
Depth	200 mm
Height	45 mm
Width	230 mm
Usage characteristics	
Number of ports	12

Resources

Installation Guide



PDF - 1.18 MB
OF Ruggedised Lockable Zone Distribution Box
Download

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name	Colour	Depth	Height	Width
	N521.600	-	LANmark ZD box 12 Snap-In White	White RAL 9002	200 (mm)	45 (mm)	230 (mm)
	N521.606	-	LANmark ZD box 6 Snap-In White	White RAL 9002	125 (mm)	42 (mm)	120 (mm)
	N521.612	-	LANmark Ruggedised Lockable ZD Box White	White RAL 9002	300 (mm)	55 (mm)	260 (mm)
	N521.6121	-	LANmark Ruggedised Lockable ZD Box Foot White	White RAL 9002	250 (mm)	35 (mm)	253 (mm)

= Make to order, = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.