

Optical cabinets 19 inch 600 or 800mm deep

Modular cabinets with 19" rack with glass front door, removable side and rear panels, a sober and robust design and cables entries from the bottom or roof with brush and fixing plate for clamping or fanout systems.

The 19" optical cabinets BZ19 can host all telecom equipment for 19" size (optical modules, active equipments, patchpanel with RJ45 jacks, ...) and thus answer to any type of network installation.

The modular design is suitable for a wide range of requirements:

- Width 600 or 800mm
- Depth 600 or 800mm
- Useful height 36U or 42U

Cabinets are equipped with :

- Glass door opening to the left with key lock (right side mounting possible)
- Removable side panels with key lock (juxtaposition de 2 baies possibles)
- Removable rear panel
- Front racks 19" with adjustable depth
- Rear racks 19" for accessories
- Grounding bar
- Plate for incoming cables with brush mounted on the roof or base (if cabinet returned)

Optical equipment for Optical Fiber management :

- Fixing plate for clamp and fanout device (DEP, DSM, ...)
- Rear plate with 5 rings for cable management on the rear side
- Up and down cable trays for the jumpers management on the front side
- Right and left C profiles with 8 bobbin Ø50 kits (only with width 800)



STANDARDS

Aginode specification

Optical cabinets 19 inch 600 or 800mm deep

CHARACTERISTICS

结构特性

颜色	浅灰 RAL 7035
----	-------------

材料	钢
----	---

尺寸特性

深度	600 mm
----	--------

高度	1700 mm
----	---------

宽度	600 mm
----	--------

使用特性

应用类型	室内
------	----

最小弯曲半径 - 静态	30 mm
-------------	-------

Locking system	Key
----------------	-----

包装	Pallet
----	--------

防水	IP 30
----	-------

销售和交付信息

Unit in a pallet

Product list

	Aginode ref.	Country ref.	Name	高度
☎	10243463	-	Cabinet BZ19 600x600 36U	1700 (mm)
☎	10243462	-	Cabinet BZ19 600x600 42U	2000 (mm)
☎	10243461	-	Cabinet BZ19 600x800 42U	2000 (mm)
☎	10243504	-	Cabinet BZ19 800x600 36U	1700 (mm)
☎	10243460	-	Cabinet BZ19 800x600 42U	2000 (mm)
☎	10243459	-	Cabinet BZ19 800x800 42U	2000 (mm)
				☎ = Make to order, 🏠 = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.