

# Drop – Multibundle cables Dca

Multi Micro-bundles cable with radial strength member and LSZH sheath- up to 12 fibres

This multi micro-bundles cable is designed for indoor/outdoor installation.

This cable can be operated under a large temperature range.

## Design

The RSM LSZH SP1833 cable contains up to 2 bundles (maximum 6 fibres each). The design is reinforced by a layer of watertight glass yarns and a LSZH sheath with two radial strength member (FRP : Fibre Reinforced Plastic).

## Fibre type


The RSM LSZH SP1833 cable is available with singlemode and multimode fibres.

## Technical performances

The multi micro-bundle cable performances are specified in the following tables.

## Additional details

This cable is provided as a standard with a black sheath, other sheath colours are also available. Long exposure to UV with these other colours could generate colour fading.



## STANDARDS

EN 50399  
IEC 60332-1  
IEC 60754-1  
IEC 60794

# Drop – Multibundle cables Dca

## CHARACTERISTICS

### 结构特性

颜色	黑
光纤类型	SM (G657.A1)
外护套	低烟无卤
无卤	IEC 60754-1
不含金属	Yes
加强构件	FRP
结构类型	多束管
额外加强件	玻璃纱

### 尺寸特性

近似重量	60 kg/km
光纤数	12
光纤数, 范围	...
标称外径	6.0 mm

### 机械特性

机械耐冲击性能	3次冲击/ N.M
最大长期拉力负载	0.2 kN
耐挤压 (IEC 794-1-E3)	250 N/cm
最大安装拉力	800 N

### 使用特性

操作温度, 范围	-30...70 °C
最小弯曲半径 - 静态	60 mm
存储温度范围	-40...70 °C
敷设操作弯曲半径	90 mm
安装类型	室内/户外
Installation temperature, range	0...40 °C

## 销售和交付信息

## Standard Marking

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Aginode - FIBRE OPTIC CABLE - RSM LSZH Dca SP1833 - XXxYY - FB - TN - metric

XX = Fibre Count

YY = Fibre Type

FB = Frameries, Belgium (manufacturing place)

TN = Traceability Number

*All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.*

## Product list

	Aginode ref.	Country ref.	Name	颜色	光纤类型	光纤数
☎	10530201	-	RSM LSZH 12xSM G657A1 SP1833 BK	黑	SM (G657.A1)	12
☎	10541023	-	RSM LSZH 12xSM G657A1 SP1833 BK	黑	SM (G657.A1)	12
☎	10541022	-	RSM LSZH 6xSM G657A1 SP1833 BK	黑	SM (G657.A1)	6
☎	10512905	-	RSM LSZH 12xSM G657A2 SP1833 BK	黑	SM (G657.A2)	12

☎ = Make to order, 📦 = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.