XPLORER™

Aginode XPLORER™ is a series of innovative optical distribution frames modules developed to meet the future of optical fibre networks. With improved modularity and robustness, greater simplicity and lightness and symmetrical shape, XPLORER™ will push the limits of optical distribution frame solutions.



XPLORER™ is a range of premium injection molded optical modules. It allows several functions (combined or not): splicing, patching, splitting and storage. Five concepts influenced the design of the range: modularity, simplicity, robustness, lightness and symmetry.



Modularity

- Adapting our products to specific operators' usages.
- Anticipating upcoming evolutions of optical fibre networks.

Simplicity

- Designed for intuitive installation and usage.
- Standing free from installation hazards.

Robustness

- Working for a durable network performance.
- Ensuring optimal functionning over all life phases for all applications.

Lightness

- Taking security and penibility into account.
- Enhancing transport conditions.

Symmetry

- Allowing polyvalence of installations with low products diversity.
- Reducing stock management and order complexity.

Aginode XPLORER™ is an optimised universal solution of optical distribution frame modules for both small-scale and large-scale deployments.

STANDARDS

IEC 61753-1

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

XPLORER™

CHARACTERISTICS

结构特性	
柜式	19"
颜色	浅灰 RAL 7035
材料	Thermoplastic
尺寸特性	
直径范围	5...19 mm
深度	185 mm
高度单位	1 U
使用特性	
耐化学物质	Hydrocarbons resistant
阻燃	UL94-V0
功能	熔接和跳接
最小弯曲半径 - 静态	30 mm
操作温度，范围	-40...75 °C
抗UV	是

Resources

文件

XPLORER 1U installation manual - Splice and patch pdf — 5.69 MB 下载

XPLORER 1U installation manual - Splitter pdf — 5.45 MB 下载

XPLORER 1U installation manual - Patching pdf — 3.72 MB 下载

XPLORER 1U installation manual - Storage pdf — 6.21 MB 下载

XPLORER 3U installation manual - Splitter pdf — 6.86 MB 下载

XPLORER 4U installation manual - Patching pdf — 15.49 MB 下载

XPLORER 4U installation manual - Splice and patch pdf — 17.55 MB 下载

XPLORER 4U installation manual - Splice and patch - 3 large splice cassettes pdf — 4.48 MB 下载

XPLORER 1U installation manual - Splice, patch and splitter pdf — 7.1 MB 下载

Eco-design at Aginode - FTTH case study pdf — 1.49 MB 下载

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

销售和交付信息

Delivery units - 1U : 72 units per palet - 3U and 4U : 20 units per palet

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name	高度单位	功能
	-	-	XPLORER™ - Splicing and patching 1U	1 (U)	熔接和跳接
		-	XPLORER™ - Splicing and patching 4U	4 (U)	熔接和跳接
		-	XPLORER™ - Splitting, Splicing and patching 3U	3 (U)	分光、熔接及跳接
	10278809	-	XPLORER™ Back storage module	1 (U)	储存
		-	XPLORER™ - Splitting, Splicing and patching 1U	1 (U)	分光、熔接及跳接
	-	-	XPLORER™ - Patching 1U	1 (U)	跳接
		-	XPLORER™ - Patching 4U	4 (U)	跳接

= Make to order, = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.