

LANmark-6A ULTIM

... 提升连接，重新定义可靠性

为了继续提供高端解决方案，Aginode 推出了新型 6A 类连接器：LANmark ULTIM。

- 采用新的引擎技术，具有卓越的净空
- 一体式无螺栓设计，可快速、轻松地进行连接
- 90W PoE 认证，符合 IEC 60512-99-002 标准
- 压铸外壳具有出色的电磁兼容性和外来串扰性能
- 可持续包装：零塑料，100% 可回收


随着 IP 融合的兴起和某些应用技术的发展，智能楼宇应用对数据的要求也大幅提高。例如，以太网供电（PoE）协议使电力需求增加了两倍，这反过来又影响了布线基础设施的设计。

同样，随着 WiFi 6、WiFi 6E 和 WiFi 7 的推出，无线网络的速度和容量也得到了大幅提升。

这些技术的发展需要可靠、高性能和可扩展的布线基础设施。

此外，考虑到环境因素，布线解决方案已成为确保智能楼宇高效运行的关键组成部分。

凭借在结构化布线领域的多年经验，Aginode 认识到提供满足这些技术进步的重要性的解决方案，同时确保智能建筑的长期可持续性。



LANmark-6A ULTIM

CHARACTERISTICS

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name
	N420.960	Europe/Africa	LANmark-6A ULTIM Snap-In Connector Category 6A Screened

 = Make to order,  = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

