

Drop – Multibundle cables Dca

RSM LSZH 12XSM G657A2 SP1833 BK

Aginode Ref: 10512905

Multi Micro-bundles cable with radial strength member and LSZH sheath- 12 fibres

This multi micro-bundles cable is designed for indoor/outdoor installation.

This cable can be operated under a large temperature range.

Design

This RSM LSZH SP1833 cable contains 2 bundles of 6 fibres each. The design is reinforced by a layer of watertight glass yarns and a LSZH sheath with two radial strength member (FRP : Fibre Reinforced Plastic).

Fibre type


The RSM LSZH SP1833 cable is available with singlemode and multimode fibres.

Technical performances

The multi micro-bundle cable performances are specified in the following tables.

Additional details

This cable is provided as a standard with a black sheath, other sheath colours are also available. Long exposure to UV with these other colours could generate colour fading.



STANDARDS

EN 50399
IEC 60332-1
IEC 60754-1
IEC 60794

RSM LSZH 12xSM G657A2 SP1833 BK

Characteristics

结构特性

颜色	黑
光纤类型	SM (G657.A2)
外护套	低烟无卤
无卤	IEC 60754-1
不含金属	Yes
加强构件	FRP
结构类型	多束管
额外加强件	玻璃纱

尺寸特性

近似重量	60 kg/km
光纤数	12
光纤数, 范围	...
标称外径	6.0 mm

机械特性

机械耐冲击性能	3次冲击/ N.M
最大长期拉力负载	0.2 kN
耐挤压 (IEC 794-1-E3)	250 N/cm
最大安装拉力	800 N

使用特性

操作温度, 范围	-30...70 °C
最小弯曲半径 - 静态	60 mm
存储温度范围	-40...70 °C
敷设操作弯曲半径	90 mm
安装类型	室内/户外
Installation temperature, range	0...40 °C

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

业绩声明

RSM LSZH 12xSM G657A2 SP1833 BK pdf — 120.33 KB 下载 ↓

销售和交付信息

Standard Marking

Aginode - FIBRE OPTIC CABLE - RSM LSZH Dca SP1833 - XXxYY - FB - TN - metric

XX = Fibre Count

YY = Fibre Type

FB = Frameries, Belgium (manufacturing place)

TN = Traceability Number

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.